

December 2007

P-07-04-NPC 05

(Replaces IB P-03-03 dated November 2003)

Page 1 of 1

(File Number 16090-P-01)

WATER CLOSETS IN PUBLIC WASHROOMS

Subject: **ELONGATED WATER CLOSETS**

This bulletin has been jointly developed by Safety Services and the Plumbing Technical Council to inform the plumbing industry of the requirements associated with the installation of elongated water closets in public washrooms.

Designers, Installers and **Safety Codes Officers** are reminded that elongated water closets are required to limit the area of user contact with potentially contaminated surfaces. Water closets installed in washrooms for public use are exposed to multiple users between cleanings and tend to be exposed to more frequent misuse. The elongated bowl and open front seat reduce the probability of the negative effects of misuse (soiling of surfaces, etc.) and provides less user exposure to potentially contaminated surfaces.

The National Plumbing Code of Canada (NPC) 2005 under **Sentence 2.2.2.5 (1)** states:

“When a water closet is installed in a public washroom for *public use*, it shall be of the elongated type and provided with a seat of the open front type”.

Definition of *Public use* means *fixtures* in general washrooms of schools, gymnasiums, hotels, bars, public comfort stations and other installations where *fixtures* are installed so that their use is unrestricted.

An elongated water closet bowl is 2-inches (51 mm) longer than a regular bowl and the extension is toward the front of the fixture. The concept of this requirement is to reduce the possibility of missing the bowl and soiling the water closet seat and surroundings. The elongated water closet bowl also has a larger water surface area which helps keep the inside surface of the bowl clean.

The Alberta Building Code 2006 contains provisions that a public washroom is generally available for use by the public, or any segment of the public, as of right or by invitation, expressed or implied. Except for dwelling units, including hotel guestrooms and private facilities, water closets in any washroom facility intended for use by the public shall be of the elongated type.

The purpose of this notice is to ensure that **Designers** and **Installers** are aware of the provisions for elongated bowl and open front seat for water closets in public washrooms. The objective of this NPC requirement is **health** and is intended to reduce the probability of the spread of disease. If further clarification is necessary, contact the local **authority having jurisdiction**.



Issue of this STANDATA is authorized by
the Administrator

[Original signed]
Carey LaRose



SAFETY CODES COUNCIL