

Identification of document.

## VARIANCE

Date of Issue.

April 1, 2001

Authority Under which the variance is being issued

**Under the authority of the Safety Codes Act, Chapter S-0.5 section 34(1).**

Where the variance applies.

**This Variance applies throughout the Province of Alberta.**

Details of Variance


**Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste and Vent Pipe with a Cellular Core (ABS Cellular Core plastic piping), certified to ASTM F628 by a certification body accredited by the Standards Council of Canada, is acceptable for installation in Alberta as part of a plumbing system.**

This will serve to verify that the installation of **ABS Cellular Core** plastic piping must be in accordance with the manufacturer's installation instructions and the requirements in the National Plumbing Code of Canada 1995.

This Variance is based on revisions to the National Plumbing Code of Canada 1995, **Sentences** 2.5.10.(1) and 2.5.12.(1) and **Tables** 1.9.3, A-2.5., A-2.6. and A-2.7., which have been approved by the Canadian Commission on Building and Fire Codes, and recently been accepted by the Safety Codes Plumbing Technical Council.

This variance does not make or imply any assurance or guarantee with respect to life expectancy, durability or performance of this material.

Identification of person Issuing the Variance



Signature  
Carey LaRose  
Plumbing Technical Administrator  
Certification No. S 000474

Employer of Administrator

Alberta Municipal Affairs  
Plumbing & Gas Safety

Procedure for submission of a variance

A signed copy of the variance will be submitted to:

Safety Codes Council  
Suite 800, 10707 - 100 Avenue  
Edmonton, Alberta T5J 3M1

Advisement of Offence

**Non-Compliance with the instructions contained in this variance is an offence under the Safety Codes Act.**