

SCHEDULE B-2

**Summary of Design and Field
Review Requirements**

See Section 2.6 of the Alberta Building Code

Submitted by: _____ Date: _____

(Initial applicable responsibilities and cross out and initial non-applicable items within the list of Code activities)

ARCHITECTURAL _____ initial to indicate overall responsibility

- 1.1 Development permit requirements and conditions.....
- 1.2 Requirements to prevent fire spread and collapse;
building height, building area, building classification street access.....
- 1.3 Spatial separation requirement;
limiting distance, unprotected openings, construction characteristics.....
- 1.4 Exterior walls and roofs, including exterior glazing;
dampproofing/waterproofing of walls or slabs below grade, wall cladding.....
- 1.5 Determining the need for fire detection, alarm notification and suppression; including emergency
power and lighting.....
- 1.6 Provision for fire fighting.....
- 1.7 Requirements pertaining to *interconnected floor spaces* and *high buildings*.....
- 1.8 Safety within *floor areas*; including interim wall partitions and finishes, *access to exits, guards* and
handrails, sound control, specific requirements related function.....
- 1.9 Egress systems, *occupant loads*, stairs and *exits*.....
- 1.10 *Barrier-free* requirements.....
- 1.11 Vertical transportation.....
- 1.12 Service facilities; horizontal and vertical *service spaces*.....
- 1.13 Health requirements; including functional design i.e. washrooms, food preparation areas,
swimming pools.....
- 1.14 Structural capacity of architectural components; including anchorage and seismic
restraint.....
- 1.15 Site development and landscaping.....
- 1.16 Review of all applicable shop drawings.....

STRUCTURAL _____ initial to indicate overall responsibility

- 2.1 Structural capacity of structural components of *buildings*; including anchorage and seismic
restraint.....
- 2.2 Structural aspects of deep foundations.....
- 2.3 Qualification of welded steel fabricators and erectors.....
- 2.4 Review of all applicable shop drawings.....

Schedule B-2 – Continued

MECHANICAL _____ initial to indicate overall responsibility

- 3.1 HVAC Systems; including fire stopping of service penetrations and placement of fire dampers.....
- 3.2 Plumbing systems; including potable water system, roof and storm drainage system, sanitary drainage system.....
- 3.3 Fire Protection Systems; including automatic sprinkler and other automatic fire suppression systems; stand pipes and hose system, evaluation of necessary water supply demand.....
- 3.4 Swimming pool mechanical systems; including pool circulation and disinfection systems, ventilation in pool areas and chlorine rooms.....
- 3.5 Medical gas piping systems.....
- 3.6 Smoke control systems in high-rise and *care and detention occupancy* application.....
- 3.7 Review of all applicable shop drawings.....

ELECTRICAL _____ initial to indicate overall responsibility

- 4.1 Electrical transformers vaults, switching devices and motors, including anchorage and seismic restraints.....
- 4.2 Electrical system and devices; including fire stopping of penetration through fire separation.....
- 4.3 Fire alarms; including voice communication system.....
- 4.4 Mechanical interface with controls and alarms.....
- 4.5 Emergency power and lighting systems.....
- 4.6 Fire protection of wiring for emergency systems.....
- 4.7 Review of all applicable shop drawings.....

GEOTECHNICAL _____ initial to indicate overall responsibility

- 5.1 *Excavation*.....
- 5.2 Shoring and underpinning.....
- 5.3 Geotechnical aspects of *deep foundations*.....
- 5.4 Control of ground and subsurface water.....
- 5.5 Structural considerations of *soil*; including slope stability and seismic loading.....
- 5.6 Backfill and compaction of fill.....

- Note:
- 1. Schedule B-2 must be attached to B-1.
 - 2. In this letter the words in italics have the same meaning as the Alberta Building Code.
 - 3. The *constructor* is responsible for safety to the public and workers at the *project* site.